

### SAFETY DATA SHEET

# BETTER BUBBLE™

Gas leak locator

### Section 1 - Product and Company Information

Product Name

Better Bubble™

**Product Codes** 

65554, 65432, 65273

Chemical Family

Organic/Inorganic

Use

Leak locator

Manufacturer's Name

The RectorSeal Corporation 2601 Spenwick Drive Houston, Texas 77055 USA

Date of Validation January 23, 2015

Date of Preparation October 3, 2012 **HMIS Codes** 

Health 1
Flammability 0
Reactivity 0

PPI B

Emergency Telephone No. Chemtrec 24 Hours (800)-424-9300 USA (703)-527-3887 International

Technical Service Telephone No. (800)-231-3345 or (713)-263-8001

## Section 2 - Hazards Identification

#### **GHS CLASSIFICATION**

#### **Physical Hazards:**

None

#### **Health Hazards**

Acute Toxicity:

Oral: Not Classified Dermal: Not Classified Inhalation: Not Classified

Skin Corrosion/Irritation: Not Classified

Serious Eye Damage/Eye Irritation: Not Classified Respiratory or Skin Sensitization: Not Classified

Germ Cell Mutagenicity: Not Classified

Carcinogenicity: Not Classified

Reproductive Toxicology: Not Classified

Target Organ Systemic Toxicity - Single Exposure: Not Classified Target Organ Systemic Toxicity - Repeated Exposure: Not Classified

Aspiration Toxicity: Not Classified

### **ENVIRONMENTAL HAZARDS**

Hazardous to the Aquatic Environment: Not Classified

Acute aquatic toxicity: Not Classified Chronic aquatic toxicity: Not Classified Bioaccumulation potential: Not Classified Rapid degradability: Not Classified

### GHS Label elements, including precautionary statements

Pictogram: None Signal Word: None

Hazard Statements: None Precautionary Statements:

P102 - Keep out of reach of children.

P264 - Wash hands thoroughly after handling.

## Classification according to EU Directives 67/548/EEC or 1999/45/EC

Labeling Symbols: None Risk R-Phrases: None

Safety S-Phrases:

S2: Keep out of the reach of children.

## **Summary Of Acute Hazards**

None known.

### **Route Of Exposure, Signs And Symptoms**

INHALATION

None

**EYE CONTACT** 

May cause slight eye irritation.

SKIN CONTACT

None

**INGESTION** 

May cause nausea and vomiting. Not expected to produce toxic effects unless large amounts are ingested.

SUMMARY OF CHRONIC HAZARDS

None known.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE

None known.

### Section 3 - Composition/Information on Ingredients

% by WT CAS Number INGREDIENT UNITS

None as defined by OSHA Hazard Communication Standard 29 CFR 1910.1200.

#### Section 4 - First Aid Measures

If inhaled: N/A

If on skin: Wash with water.

If in eyes: Flush eyes with large amounts of water. Get medical attention if irritation persists.

If swallowed: If swallowed, call a physician immediately. Only induce vomiting at the instruction of

a physician. Never give anything by mouth to an unconscious person.

#### Section 5 - Fire Fighting Measures

#### **Extinguishing Media**

Use agents appropriate for surrounding fires.

Special Fire Fighting Procedures: Wear self-contained breathing apparatus (SCBA) and other protective clothing.

Unusual Fire And Explosion Hazards: None.

#### Section 6 - Accidental Release Measures

**Steps To Be Taken In Case Material Is Released Or Spilled:** Use absorbent materials to prevent footing hazard and to contain.

#### Section 7 - Handling and Storage

Precautions To Be Taken In Handling And Storing: Keep container closed and upright when not in use.

**Other Precautions:** Avoid prolonged or repeated contact with skin or clothing. Empty containers may contain residues; treat as if full and observe all products precautions. Do not reuse empty containers.

KEEP OUT OF REACH OF CHILDREN.

#### Section 8 - Exposure Controls/Personal Protection

Respiratory Protection (Specify Type): None required.

Ventilation - Local Exhaust: Acceptable

Special: N/A

Mechanical (General): Acceptable

Other: N/A

Protective Gloves: Wear rubber gloves.

Eye Protection: Safety glasses (ANSI Z-87.1 or equivalent)

Other Protective Clothing Or Equipment: N/A

Work/Hygienic Practices: Where use can result in skin contact, wash exposed areas thoroughly before eating,

drinking, smoking, or leaving work area. Launder contaminated clothing before reuse.

#### Section 9 - Physical and Chemical Properties

Boiling point: 212°F (100°C) @ 760 mmHg

Specific gravity (H20 = 1): 0.99

Vapor pressure (mmHg): < 1 @ 68°F (20°C)

Melting point: N/A

Vapor Density (Air = 1): > 1

Evaporation rate (Ethyl Acetate = 1): < 1

Appearance/Odor: Blue liquid/Mild odor

Solubility in water: Soluble

Volatile Organic Compounds (VOC) Content

(theoretical percentage by weight): < 0% or < (0 g/L)

Flash point: None

Lower explosion limit: N/D Upper explosion limit: N/D

#### Section 10 - Stability and Reactivity

Stability: Stable

Conditions To Avoid: None.

Incompatibility (Materials To Avoid): None.

Hazardous Decomposition Products: CO, CO<sub>2</sub>, and fragmented hydrocarbons.

Hazardous Polymerization: Will not occur.

### Section 11 - Toxicology Information

#### **Chronic Health Hazards**

No ingredient in this product is an IARC, NTP or OSHA listed carcinogen.

Toxicology Data

Ingredient Name

N/A

### Section 12 - Ecological Information

#### **Ecological Data**

Ingredient Name: N/A

### Section 13 - Disposal Considerations

Waste Classification: Non-regulated liquid waste.

**Disposal Method:** Dispose of in accordance with local, state and federal regulations.

### Section 14 - Transportation Information

DOT: Non-regulated

Ocean (IMDG): Non-regulated

Air (IATA): Non-regulated

WHMIS (Canada): Non-regulated

#### Section 15 - Regulatory Information

## **Regulatory Data**

Ingredient Name: N/A

SARA 313 No

TSCA Inventory All ingredients listed

CERCLA RQ N/A RCRA Code N/A

### Section 16 - Other Information

Labeling Symbols: None Risk R-Phrases: None

Safety S-Phrases:

S2: Keep out of the reach of children.

This document is prepared pursuant to the OSHA Hazard Communication Standard (29 CFR 1910.1200).

The information herein is given in good faith, but no warranty, expressed or implied is made.

Consult RectorSeal for further information: (713) 263-8001