

Ford Yokebox Options and Accessories


For 5/8" and 5/8"x3/4" Ball Valve and Key Valve Yokeboxes

OPTIONS AND ACCESSORIES FOR YOKEBOXES

| CATALOG NUMBER | DESCRIPTION |
|----------------|---|
| 9501 | Grade Adjuster (wt. 8 lb.) |
| YBPR-4 | 4" Polystyrene Riser with Mounting Hardware |
| FYR-8 | 8" Iron Riser with Mounting Hardware |
| PTP | Removable Plastic Plug/Nut for Electronic Meter Reading Lid Hole |
| PTP-BR | Removable Plastic Plug for Electronic Meter Reading Lid Hole with ERT Bracket |
| PBR-YL-LYL | Plastic ERT Bracket with (3) Stainless Steel Clips (field installation only) |
| PLBR-YL-LYL | Large Plastic ERT Bracket with (3) Stainless Steel Clips (field installation only) |
| TP | Removable Cast Iron Plug (with cotter pin) for Electronic Meter Reading Module Hole |
| SAVV | Ball Valve Yokebox Wrench |
| MBVW | Yokebox Valve Wrench |
| MBUK | Meter Box Universal Key for Locking Lids, Lockless Lids and Yokebox Valves |
| 9503 | Padlock Plate for Key Valve, Angle or Straight - Lock Open or Closed |
| FYBKVLP-AV-SV | Padlock Plate for Angle or Straight Key Valve |
| MBLK | Yokebox Lid Key |
| 9505 | Combination Yokebox/Dallas Lid Key |
| YEW-1 | 5/8" Expansion Connection Wrench |
| YEW-3 | 5/8"x3/4" Expansion Connection Wrench |
| 9508 | Combination Yokebox-Pentagon Bolt Key |

YOKEBOX CATALOG NUMBER OPTION CODES

| | |
|---------------------------------|--|
| Add "-RL" to Catalog Number | Meter Box Reading Lid (hinged cast iron flap), Instead of Standard Lid Example: YL122-233-RL-NL |
| Insert "P" into Catalog Number | Plastic (ABS) Shallow Type (YL) Upper Section (7") with Anchor Lugs Example: YLP122-233-NL |
| Add "-PB" to Catalog Number | Locking Plastic Lid with ERT Bracket |
| Add "-PLB" to Catalog Number | Locking Plastic Lid with Large ERT Bracket |
| Add "-T" to Catalog Number | Electronic Meter Read Feature on Lid (2" hole) Example: YL122-233-T-NL |
| Add "-TP" to Catalog Number | Electronic Meter Read Feature on Lid (2" hole), with Removable Iron Plug Example: YL122-233-TP-NL |
| Add "-PTP" to Catalog Number | Electronic Meter Read Feature on Lid (2" hole), with Removable Plastic Plug and Nut Example YL144-233-PTP-NL |
| Add "-PTP-BR" to Catalog Number | Electronic Meter Read Feature on Lid (2" hole), with Removable Plastic Plug and ERT Bracket. Example YL144-233-PTP-BR-NL |
| Add "-RW" to Catalog Number | "RECLAIMED WATER" Lettering on Locking Yokebox Lid, Instead of Standard Lid Example: YL122-233-RW-NL |
| Add "-RWC" to Catalog Number | "RECLAIMED WATER" Lettering on Purple Locking Yokebox Lid, Instead of Standard Lid Example: YL122-233-RWC-NL |
| Add "-G" to Catalog Number | Grip Joint for CTS and PEP (3/4" & 1") Example: YL144-233-G-NL |
| Add "-P4" to Catalog Number | 4" Polystyrene Riser Attached Between Base and Upper Section Example: YL144-233-P4-NL |
| Add "-XA" to Catalog Number | Locking Expansion Connection without Ford Security Screw Example: YL144-233-XA-NL |
| Add "-XB" to Catalog Number | Locking Expansion Connection with Ford Security Screw Example: YL144-233-XB-NL |
| Add "-XC" to Catalog Number | Expansion Connection with Dual Check Valves for Standard Yokeboxes Example: YL144-233-XC-NL |
| Add "-XD" to Catalog Number | Locking Expansion Connection without Ford Security Screw, with Dual Check Valves for Standard Yokeboxes, Example: YL144-233-XD-NL |
| Add "-XE" to Catalog Number | Locking Expansion Connection with Ford Security Screw, with Dual Check Valves for Standard Yokeboxes. Example: YL144-233-XE-NL |



MBVW



SAVV



MBLK



MBUK



YEW-3



9505



9510



EC-23-NL



PTP-BR



9501



Locking Plastic Lid with ERT Bracket

Golden Gate Box

For 3/4" Meters

The Golden Gate Yokebox is for full 3/4" meters (9" long). The dimensions of the box are the same as for the shallow (YL) Yokebox for 5/8" and 5/8"x3/4" meters – see page 8. The angle valve has 1" flared copper inlet connection. The straight outlet is tapped for 1" female iron pipe thread. Pack joint connections for 1" CTS are available. All water passages are full 3/4" or larger.

The Golden Gate Box shown below has the upper iron casting "ghosted" to show the angle valve and the expansion connection. **All lid and riser options listed on page 20 are available for the Golden Gate Box.**



ANGLE INLET - STRAIGHT OUTLET


| CATALOG NUMBER | DESCRIPTION | | APPROX. WT. LBS. |
|----------------|---|---|------------------|
| | INLET | OUTLET | |
| YL221-344-NL | 1" Flare Copper | 1" Female Iron Pipe Threads | 37.0 |
| ▶ YL224-344-NL | 1" Flare Copper | 1" Pack Joint for Copper or Plastic Tubing (CTS)* | 37.0 |
| ▶ YL241-344-NL | 1" Pack Joint for Copper or Plastic Tubing (CTS)* | 1" Female Iron Pipe Threads | 37.0 |
| ▶ YL244-344-NL | 1" Pack Joint for Copper or Plastic Tubing (CTS)* | 1" Pack Joint for Copper or Plastic Tubing (CTS)* | 37.0 |

▶ Ultra-Tite is available. Add "U-NA" to the catalog number (shipped unassembled).

Options: Add "-P" to the catalog number for locking plastic lid. (Example: YLxxx-xxx-P-NL)

Add "-PB" to the number for locking plastic lid with ERT bracket. (Example: YLxxx-xxx-PB-NL) ("-PLB" for large bracket)

Add "JP" to end of alpha code and "-P" to the catalog number on a YL Yokebox requiring a 7" (shallow) plastic enlarged upper section and plastic lid. (Example: YLJPxxx-xxx-P-NL)



EC-23-SF-NL

PARTS AND ACCESSORIES FOR GOLDEN GATE BOXES

| CATALOG NUMBER | DESCRIPTION | APPROX. WT. LBS. |
|-----------------|--|------------------|
| 9505 | Combination Yokebox / Dallas Lid Key | 0.8 |
| EC-23-SF-NL | 2-Part Expansion Connection | 0.6 |
| GGAV23-343-NL | Inlet Valve for 1" Flare Copper | 2.0 |
| ▶ GGAV43-343-NL | Inlet Valve for 1" Pack Joint (CTS)* | 1.6 |
| GGB-B | Base Casting for Golden Gate Box | 8.8 |
| GGO13-343-NL | Straight Outlet for 1" Female Iron Pipe | 0.8 |
| ▶ GGO43-343-NL | Straight Outlet for 1" Pack Joint (CTS)* | 0.9 |
| MBLK | Meter Box Lid Key | 0.3 |
| MBVW | Meter Box Valve Wrench (18" long) | 1.9 |

* Grip Joint for CTS is available. Add "-G" to the catalog number.

▶ Ultra-Tite is available. Add "U-NA" to the catalog number (shipped unassembled).

Ordering Information

Brass end fittings are permanently and properly spaced and aligned for the meter.

Special lettering on lids is available – contact factory for details.

Order by catalog number from table above. Specify locking or lockless lid. Specify quantity of steel keys desired for locking lids.


Ford Yokebox

For 1" Meters

The features of the 1" Yokeboxes are similar to those of smaller sizes, and the advantages are the same. Boxes are of cast iron construction. All piping connections to these larger sizes are straight and are female iron pipe threads. They can be adapted to copper or plastic tubing by standard couplings, listed and described in Section J.

The lock is the same as on smaller sizes and operates with the same key – see page 5. Lockless iron lids or locking plastic lids are optional. Bases and upper body castings are round, and upper body castings have anchor ribs cast on the outside which lock into concrete to prevent settling.

Valves are straight inverted key type, properly positioned and connected to the iron base. The meter clamping device ordinarily remains with the base piece but can be removed if desired, to prevent unauthorized use of water.



STRAIGHT INLET - STRAIGHT OUTLET

| CATALOG NUMBER | DESCRIPTION | | APPROX. WT. LBS. |
|----------------|---------------------|---------------------|------------------|
| | INLET | OUTLET | |
| YL111-444-NL | 1" Female Iron Pipe | 1" Female Iron Pipe | 65.0 |

Options: Add "-P" to the catalog number for locking plastic lid. (Example: YLxxx-xxx-P-NL)
 Add "-PB" to the catalog number for locking plastic lid with ERT bracket.
 (Example: YLxxx-xxx-PB-NL)

PARTS AND ACCESSORIES FOR YOKEBOX FOR 1" METER

| CATALOG NUMBER | DESCRIPTION | APPROX. WT. LBS. |
|----------------|---|------------------|
| MBVW | Meter Box Valve Wrench (18" long) | 1.7 |
| MBLK | Meter Box Lid Key | 0.5 |
| 9505 | Combination Yokebox / Dallas Lid Key | 0.8 |
| YBUC | Upper Casting for YL111-444-NL | 24.0 |
| 9635 | Base Casting for No. YL111-444-NL | 21.0 |
| CBLL | Iron Lockless Lid for YL111-444-NL | 8.0 |
| CBLL-T | Iron Lockless Lid with 2" Hole for Electronic Read Module for YL111-444-NL | 8.7 |
| YBL | Locking Iron Lid for No. YL111-444-NL | 8.0 |
| YBL-T | Electronic Read Locking Iron Lid for No. YL111-444-NL (2" hole) | 8.0 |
| YBLP | 1" Yokebox Plastic Locking Lid | 2.5 |
| YBLP-BR | 1" Yokebox Plastic Locking Lid with ERT Bracket | 2.6 |
| CBEO-4 | Yokebox Expansion Outlet, 1" Female Iron Pipe | 3.0 |
| CBV-4 | Yokebox Valve, 1" Female Iron Pipe | 3.5 |
| GT-123 | Flat Rubber Gaskets for Inlet & Outlet Pieces | 0.01 |
| 9504 | Bolt and Nut for YL111-444-NL | 0.06 |
| PTP | Removable Plastic Plug/Nut for Electronic Meter Reading Lid Hole | 0.06 |
| PTP-BR | Removable Plastic Plug for Electronic Meter Reading Lid Hole with ERT Bracket | 0.1 |
| TP | Removable Cast Iron Plug (with cotter pin) for Electronic Meter Reading Module Hole | 0.5 |

Ordering Information

Special lettering on lids is available – contact factory for details.

Order by catalog number from table above. Specify locking or lockless lid. Specify quantity of steel keys desired for locking lids.

Ford Long Yokebox Options and Accessories

For 5/8", 5/8"x3/4" and 3/4" Long Yokeboxes

OPTIONS AND ACCESSORIES FOR LONG YOKEBOXES

| CATALOG NUMBER | DESCRIPTION |
|------------------------------|---|
| LYGA | Grade Adjuster for Long Yokebox |
| LYPR-4 | 4" Plastic Riser for Long Yokebox |
| LYIR-2 | 2" Iron Riser for Long Yokebox with Mounting Hardware |
| LYIR-4 | 4" Iron Riser for Long Yokebox with Mounting Hardware |
| LYIR-6 | 6" Iron Riser for Long Yokebox with Mounting Hardware |
| LYBCP | Long Yokebox Connector Plate |
| TP | Removable Cast Iron Plug (with cotter pin) for Electronic Meter Reading Module Hole |
| SAVW | Ball Valve Yokebox Wrench |
| MBVW | Yokebox Key Valve Wrench (18" long) |
| 9503 | Padlock Plate for Key Valve, Angle or Straight |
| FLYB-AVLP | Padlock Plate for Angle Ball Valve for Long Yokebox |
| FLYB-BVLP | Padlock Plate for Straight Ball Valve for Long Yokebox |
| FLYB-BVLP-R | Padlock Plate for Ball Valve Long Yokebox with Plastic Riser |
| FYBKVLP-AV-SV | Padlock Plate for Straight or Angle Key Valve with or without Plastic Riser |
| MBLK | Yokebox Lid Key |
| MBUK | Meter Box Universal Key for Locking Lids, Lockless Lids and Yokebox Valves |
| PTP | Removable Plastic Plug/Nut for Electronic Meter Reading Lid Hole |
| PTP-BR | Removable Plastic Plug for Electronic Meter Reading Lid Hole with ERT Bracket |
| PBR-YL-LYL | Plastic ERT Bracket with (3) Stainless Steel Clips (field installation only on plastic lid) |
| PLBR-YL-LYL | Large Plastic ERT Bracket with (3) Stainless Steel Clips (field installation only on plastic lid) |
| 9505 | Combination Yokebox/Dallas Lid Key |
| YEW-1 | 5/8" Expansion Connection Wrench |
| YEW-3 | 5/8"x3/4" Expansion Connection Wrench |
| 9508 | Combination Yokebox-Pentagon Bolt Key |
| Add "-P" to Catalog Number | Plastic Locking Lid; Example: LYL241-233-P-NL |
| Add "-PB" to Catalog Number | Plastic Locking Lid with ERT Bracket; Example: LYL244-233-PB-NL |
| Add "-PLB" to Catalog Number | Plastic Locking Lid with Large ERT Bracket; Example: LYL244-233-PLB-NL |
| Add "-T" to Catalog Number | Electronic Meter Read Feature on Lid (2" hole); Example: LYL222-233-T-NL |
| Add "-TP" to Catalog Number | Electronic Meter Read Feature on Lid (2" hole) with Removable Iron Plug |
| Add "-G" to Catalog Number | Grip Joint for CTS; Example: LYL244-233-G-NL |
| Add "-SP" to Catalog Number | Spacer in Lieu of Check Valve; Example: LYL244-233-SP-NL |
| Add "-LL" to Catalog Number | Lockless Lid on Long Yokebox; Example: LYL222-233-LL-NL |
| Add "-P4" to Catalog Number | 4" Polystyrene Riser Attached Between Base and Upper Section |
| Add "-XA" to Catalog Number | Locking Expansion Connection without Ford Security Screw |
| Add "-XB" to Catalog Number | Locking Expansion Connection with Ford Security Screw |

CHECK VALVES, UPPER SECTIONS, LIDS AND GASKETS FOR LONG YOKEBOXES

| CATALOG NUMBER | DESCRIPTION |
|----------------------|--|
| LYL | Iron Locking Lid for Long Yokebox |
| LYLL | Iron Lockless Lid for Long Yokebox |
| LYL-T | Iron Locking Electronic Read Lid with 2" Hole (for Long Yokebox) |
| LYL-RW | Iron Locking Reclaimed Water Lid with Black E-coating for Long Yokebox |
| LYL-RWC | Iron Locking Purple-Coated Reclaim Water Lid for Long Yokebox |
| LYLP | Plastic Locking Lid for Long Yokebox |
| LYLP-BR | Plastic Locking Lid for Long Yokebox with ERT Bracket |
| LYLP-BLR | Plastic Locking Lid for Long Yokebox with Large ERT Bracket |
| LYIB | Shallow Type (LYL) Upper Casting (7" high) (for Long Yokebox) |
| LYPB | Shallow Plastic Type (LYL) Upper Section (7" high) (for Long Yokebox) |
| EC-1-NL | Expansion Connection for 5/8" Meter |
| ECL-1-NL | Locking Expansion Connection for 5/8" Meter without Security Screw |
| ECL-1-SSF-NL | Locking Expansion Connection for 5/8" Meter with Security Screw |
| EC-23-NL | Expansion Connection for 5/8"x3/4" Meter |
| EC-23-SF-NL | 2-Part Expansion Connection for 3/4" Meter |
| ECL-23-NL | Locking Expansion Connection for 5/8"x3/4" Meter without Security Screw |
| ECL-23-SSF-NL | Locking Expansion Connection for 5/8"x3/4" Meter with Security Screw |
| GT-32 | 5/8" Beveled Expansion Connection Gasket |
| GT-33 | 5/8"x3/4" Beveled Expansion Connection Gasket |
| GT-210 | 5/8" Flat Expansion Connection Gasket |
| GT-196 | 5/8"x3/4" Flat Expansion Connection Gasket |
| BOLT-800998-SSF | Security Screw (fits all Ford Locking Expansions) |
| KEY-800999-SSF | Security Screw Access Tool |
| NUT-DR-040072-SSF | Magnetic Handle, Less Access Tool |
| GT-112 | 5/8" Rubber Gaskets for Valve and Outlet Saddles |
| GT-118 | 5/8"x3/4" Rubber Gaskets for Valve and Outlet Saddles |
| 9500 | (Each) Stainless Steel Bolt and Nut for Connecting Upper and Base Castings (4 required) |
| 9510 | Lock Assembly (bolt, spring & rivet) |
| HHCI33-311-NL | Cartridge Style Dual Check Valve for Long Yokebox, for 5/8" Meter |
| HHCI33-322-3-5-PE-NL | Cartridge Style Dual Check Valve for Double Valve Type Long Yokebox, for 5/8"x3/4" Meter |
| HHCI33-322-NL | Cartridge Style Dual Check Valve for Single Valve Type Long Yokebox, for 5/8"x3/4" Meter |