THE MOST EFFECTIVE WASP & HORNET SPRAY AVAILABLE

- Drops wasps, hornets, and yellow jackets instantly
- Kills scorpions
- Kills with residual action as wasps and hornets return to their nests
- Reaches nests more than 20 feet above ground
- EPA Registered
- Dielectric breakdown voltage of 57,200 volts

Aerosol Products

Nu-Kill® Max Strike



Description

Nu-Kill Max Strike doesn't just make wasps mad... it kills them! It is formulated with tetramethrin for instant kill and it provides residual kill as insects return to the nest. It does not contain any CFC's and it has a very high dielectric strength.

Application

It instantly and effectively kills wasps, hornets, yellow jackets and scorpions.

Packaging

13.5 ounce can **4292-75**

Directions for Use

WASPS, HORNETS, YELLOW JACKETS: For best results, spray in early morning or late evening when insect activity is minimal. Stand a safe distance from nest and not directly underneath. (Remove protective cap.) Hold can upright and point spray opening toward nest with wind at your back. Spray until nest is thoroughly saturated to kill the entire nest population. Residual action will kill wasps and hornets returning to the nest. Wait at least 24 hours before removing the nest. To kill wasps, hornets and yellow jackets under eaves, screens, window frames, doors, patios, cracks, holes or crevices wherever insects are noticed, spray for about 1 - 2 seconds or until surfaces are moist. To prevent entrance of insects into the house,

spray around points where insects enter such as outside plumbing, faucets, etc., and cracks and crevices in foundation as well as along sills and ledges. Do not apply to pets or contaminate feed, foodstuff, dishes or utensils. Avoid spraying vegetation directly.

SCORPIONS: Stand 3-4 feet away and thoroughly cover the insect. Make sure scorpions are dead before removing.

Do not use in commercial food/feed handling establishments, restaurants or other sites where food/feed is commercially prepared, processed or served. Not for use in federally inspected meat and poultry plants. Remove all exposed food and cooking utensils. Cover all food handling surfaces or wash thoroughly after treatment and before use. Do not use on edible crops. Point spray nozzle away from face. Hold can on slight downward angle. For best results, spray when air is calm. Spray with wind if breeze is blowing.

EPA REG. NO. 1021-1649-65516

EPA Est. NO. 33595-MO-2(A), 33595-MO-4(B)

Postscript is first letter or number of batch code on the bottom of the can.

Read and understand the product's label and Safety Data Sheet ("SDS") for precautionary and first aid information. The SDS is available on the Nu-Calgon website at www. nucalgon.com.



