

Premium Outfits for Welding and Brazing



Cap'n Hook® Outfits

FOR U.S. JOBS
UNIWELD EMPLOYS OVER 300 WORKERS

Premium portable outfits featuring Uniweld's popular patented Cap'n Hook® five flame tip for 100% wraparound brazing heat. Ideal for HVAC/R technicians and plumbers.

1 Oxyacetylene



Cap'n Hook® Tips
U.S. Patent No. 4,191,333

- Single stage Patriot® series regulators with protective rubber gauge boots
- Front valve welding handle with stainless steel ball point valves for accurate gas control
- Welding tip for brazing up to 1" copper tubing and welding up to 1/8" steel
- NEW & Improved Cap'n Hook® 5 flame tip for brazing up to 1" copper tubing



K22P-T

Additional outfit options listed below include a variety of carrying stands and tanks*. Optional tips expand capabilities. See pages 16-19

C = Metal Carrying Stand
C-T = Metal Carrying Stand & Tanks
P = Plastic Carrying Stand
P-T = Plastic Carrying Stand & Tanks

	Part#	UPC#	Welding Handle	Welding/Brazing Tip	Oxygen Regulator	Acetylene Regulator	Carrying Stand	Tanks*
Cap'n Hook® Outfits	K22	82339					w/o	w/o
	K22C	82340		Type17-2			500S	w/o
	K22C-T	82341	71	MTF-5	RO	RMC2	500S	MC/R
	K22P	82344		Cap'n Hook® Tip			511	w/o
	K22P-T	82345					511	MC/R

Outfits Include: H32A [12.5 ft.] Twin Hose, WG53 Goggles, FL34 Flint Lighter, W05 Tank Key w/chain.

*Tanks Shipped Empty




Premium Outfits for Cutting, Welding and Brazing

Cap'n Hook® Outfits

FOR U.S. JOBS
UNIWELD EMPLOYS OVER 300 WORKERS

A cutting attachment and cutting tip have been added to the Cap'n Hook® outfit on page 6. You now have the added ability of cutting up to 1/2" steel with the supplied tip. The Cap'n Hook® five flame tip provides a stable, wraparound flame.

KL22C-T



KL22

- Single stage Patriot® series regulators with protective rubber gauge boots
- Front valve welding handle with stainless steel ball point valves for accurate gas control
- Cutting attachment with three tube tip mix for top performance and safety that cuts up to 1/2" steel with supplied tip
- Optional cutting tips available for cutting up to 2" steel
- NEW & Improved Cap'n Hook® 5 flame tip for brazing up to 1" copper tubing
- Welding tip for brazing up to 1" copper tubing and welding up to 1/8" steel



Cap'n Hook® Tips
U.S. Patent No. 4,191,333

Additional outfit options listed below include a variety of carrying stands and tanks*. Optional tips expand capabilities. See pages 16-19

C = Metal Carrying Stand
C-T = Metal Carrying Stand & Tanks
P = Plastic Carrying Stand
P-T = Plastic Carrying Stand & Tanks

	Part#	UPC#	Welding Handle	Welding Brazing Tip	Cutting Attachment	Cutting Tip	Oxygen Regulator	Acetylene Regulator	Carrying Stand	Tanks*
Cap'n Hook® Outfits	KL22	82500							w/o	w/o
	KL22C	82501		Type17-2					500S	w/o
	KL22C-T	82502	71	MTF-5	CA100	CT100-0D	R0	RMC2	500S	MC/R
	KL22P	82505		Cap'n Hook® Tip					511	w/o
	KL22P-T	82506							511	MC/R

Outfits Include: H32A [12.5 ft.] Twin Hose, WG53 Goggles, FL34 Flint Lighter, W05 Tank Key w/chain.

*Tanks Shipped Empty



Uniweild Products, Inc. Fort Lauderdale, FL 33312 U.S.A. Customer Service: 800.323.2111
info@uniweild.com • www.uniweild.com

Oxyacetylene, MAP//Pro™ (Propylene), Propane




Cap'n Hook® Tips

U.S. Patent No. 4,191,333

FOR U.S. JOBS
UNIWELD EMPLOYS OVER 300 WORKERS

The patented Uniweld Cap'n Hook® Tip with concentrated heat up to 5600°F. The 40° flame angle flows onto copper tubing and away from sensitive areas, thus minimizing the chances of burning adjacent components. You get 100% wraparound for even heat distribution.

1 Oxyacetylene



**UP TO 3X
FASTER
BRAZING
SPEED**

**TOUGH, DURABLE
STAINLESS STEEL
CONSTRUCTION**



	Part#	UPC#	Acetylene Consumption SCFH	Oxygen Pressure PSIG	Acetylene Pressure PSIG	Overall Length	Brazing Copper Tubing [up to]
Acetylene	MTF-5	30590	4-6	8	5	5½"	1"
	MTF-9	30591	5-9	10	7	8½"	2"
	MTF-17	30592	8-14	18	12	11"	3"

	Part#	UPC#	MAP//Pro™ [Propylene] /Propane Consumption LBS/HR	Oxygen Pressure PSIG	MAP//Pro™ [Propylene] /Propane Pressure PSIG	Overall Length	Brazing Copper Tubing [Up to]
MAP//Pro™ (Propylene) Propane	MTFM-5	30595	2.6	10	5	5½"	1"
	MTFM-9	30596	3.1	15	7	8½"	2"
	MTFM-17	30597	5.6	20	10	11"	3"

All Cap'n Hook® Tips fit 71, WH550 & WH250 Handles.



Uniweld Products, Inc. Fort Lauderdale, FL 33312 U.S.A. Customer Service: 800.323.2111
info@uniweld.com • www.uniweld.com

19