

## MegaPressG

Viega MegaPressG with an HNBR sealing element is the only press fitting system for black iron pipe approved for use in gas and fuel oil applications. Viega MegaPressG is ideal for industrial, commercial and residential applications and performs well in new installations and retrofit projects. Tested to the strictest standards in North America, Viega MegaPressG joins black iron pipe reliably through the engineered design of the fittings and a battery-powered press tool.

### FEATURES AND BENEFITS

- Approved for more applications than any other black iron pipe press fitting system
- Suitable for use with ASTM Schedule 10 to Schedule 40 black iron pipe
- Corrosion resistant coating
- More than 200 engineered fitting configurations from ½" to 2"
- Approved for underground applications – in accordance with Code and local AHJ
- The same hanger and support requirements as threaded systems
- Viega Smart Connect feature provides installers added confidence in their ability to ensure the integrity of connections

### CODES AND STANDARDS

- ANSI LC4/CSA 6.32: Fuel Gas Distribution Systems
- IAPMO: Uniform Plumbing Code
- ICC: International Mechanical Code
- IFGC: International Fuel Gas Code
- NFPA 54: National Fuel Gas Code
- NFPA 58: Liquefied Petroleum Gas Code

### LISTINGS AND CERTIFICATIONS

- ABS: American Bureau of Shipping
- CSA ANSI LC4/CSA 6.32
- IAPMO ANSI LC4/CSA 6.32
- ICC-ES PMG-1036
- CSA B149.1
- CRN: 0A14541.5 A/B

### NOTE

A Yellow Dot on a Viega MegaPressG fitting indicates the Smart Connect feature with a HNBR sealing element.



**Viega MegaPressG tee**  
**Smart Connect feature**  
 - For use with carbon steel piping system sch.5 to sch.40  
 - Carbon steel  
 - Press connection, female pipe thread  
**Components**  
 HNBR sealing elements  
**Model 6617.2**

P1	P2	FPT	Wt [lb]	Quantity	Part No	DG
¾	¾	½	0.613	5	25406	12
¾	¾	¾	0.639	5	25481	12
1	1	½	0.886	5	25411	12
1	1	¾	0.915	5	25416	12
1¼	1¼	½	1.344	1	25486	12
1¼	1¼	¾	1.349	1	25506	12
1¼	1¼	1	1.444	1	25501	12
1½	1½	½	1.706	1	25436	12
1½	1½	¾	1.741	1	25441	12
1½	1½	1	1.929	1	25446	12
1½	1½	1¼	1.829	1	25451	12
2	2	½	2.358	1	25456	12
2	2	¾	2.391	1	25461	12
2	2	1	2.535	1	25466	12
2	2	1¼	2.446	1	25471	12
2	2	1½	2.601	1	25476	12

**Adapters**



**Viega MegaPressG adapter**  
**Smart Connect feature**  
 - For use with carbon steel piping system sch.5 to sch.40  
 - Carbon steel  
 - Press connection, male pipe thread  
**Components**  
 HNBR sealing element  
**Model 6611**

P	MPT	Wt [lb]	Quantity	Part No	DG
½	½	0.227	10	25101	12
¾	¾	0.313	10	25106	12
1	1	0.474	5	25111	12
1¼	1¼	0.767	5	25116	12
1½	1½	1.069	1	25121	12
2	2	1.433	1	25126	12



**Viega MegaPressG adapter**  
**Smart Connect feature**  
 - For use with carbon steel piping system sch.5 to sch.40  
 - Carbon steel  
 - Press connection, female pipe thread  
**Components**  
 HNBR sealing element  
**Model 6612**

P	FPT	Wt [lb]	Quantity	Part No	DG
½	½	0.246	10	25131	12
¾	½	0.291	10	25576	12
¾	¾	0.315	10	25136	12
1	½	0.441	10	25581	12
1	¾	0.441	5	25586	12
1	1	0.538	5	25141	12
1¼	½	0.660	1	25591	12
1¼	¾	0.670	1	25596	12
1¼	1	0.749	1	25601	12
1¼	1¼	0.662	5	25146	12
1½	½	0.827	1	25606	12
1½	¾	0.860	1	25611	12
1½	1	0.959	1	25616	12
1½	1¼	0.849	1	25621	12
1½	1½	0.948	1	25151	12
2	½	1.098	1	25626	12
2	¾	1.124	1	25631	12
2	1	1.225	1	25636	12
2	1¼	1.157	1	25641	12
2	1½	1.190	1	25646	12
2	2	1.333	1	25156	12

**Flanges**



**Viega MegaPressG flange**  
**Smart Connect feature**  
 - For use with carbon steel piping system sch.5 to sch.40  
 - Carbon steel  
 - Press connection  
**Components**  
 HNBR sealing element  
**Model 6659.5**

P	BP	Wt [lb]	Quantity	Part No	DG
½	4	1.020	1	25761	12
¾	4	1.569	1	25766	12
1	4	2.191	1	25771	12
1¼	4	2.711	1	25776	12
1½	4	3.615	1	25781	12
2	4	5.400	1	25786	12

BP = bolt pattern