

## SINGLE WALL OVENS

### 3.1 cu. ft. Oven – WOS11EM4E

#### CompleteClean system

Standard cleaning

#### HeatRight™ system

Temperature sensor

#### HelpingHand™ system

Sabbath mode

#### QuickSelect™ system

Electronic controls

#### ReadySet™ system

Delay Bake

Keep Warm

#### Additional features

Closed door broiling

Dual interior lighting

Star-K certified

Time Bake



WOS11EM4E



White (W)



Black (B)

### 3.1 cu. ft. Oven – WOS51ES4E

#### CompleteClean system

⊕ Self-cleaning

#### HeatRight™ system

Temperature sensor

#### HelpingHand™ system

Sabbath mode

#### QuickSelect™ system

Electronic controls

#### ReadySet™ system

Delay Bake

Keep Warm

#### Additional features

Closed door broiling

Dual interior lighting

Star-K certified

Time Bake



WOS51ES4E



White (W)



Black (B)



Stainless  
Steel (S)

⊕ Indicates a step-up feature

For more details, see feature glossary on page 232

# SINGLE WALL OVENS


Bold type indicates a step-up feature

MODEL	24-Inch WOS11EM4E	24-Inch WOS51ES4E	27-Inch WOS51EC7A 30-Inch WOS51EC0A	27-Inch WOS92EC7A 30-Inch WOS92EC0A	30-Inch WOS97ES0E
Capacity (cu. ft.)	3.1	3.1	<b>4.3/5.0</b>	4.3/5.0	5.0
Approved for under-the-counter installation*	•	•	•	•	•
<b>DESIGN FEATURES</b>					
Controls	Electronic	Electronic	Electronic	Electronic	<b>Tap Touch</b>
FIT system	—	—	•	•	•
Flush installation approved	—	—	—	—	•
Metal handle	—	•	•	•	•
<b>OVEN FEATURES</b>					
Adjustable racks	2	2	2	<b>3</b>	3
Bread proofing function	—	—	—	—	•
Cleaning system	—	<b>Self-cleaning</b>	<b>Precise Clean™ self-cleaning</b>	Precise Clean™ self-cleaning	<b>Adjustable time self-cleaning</b>
Closed door broiling	•	•	•	•	•
Control lock	•	•	•	•	•
Convection Conversion	—	—	—	•	•
Custom broil	—	—	•	•	•
Delay Bake	12-hour	12-hour	•	•	•
Digital meat thermometer	—	—	—	—	•
Hidden bake element	—	—	•	•	•
Keep Warm	•	•	•	•	—
Large oven window	—	—	•	•	•
Oven light	Dual	Dual	Dual	Dual	<b>Panoramic halogen</b>
Rack positions	5	5	<b>6</b>	6	6
Rapid Preheat	—	—	—	•	•
Sabbath mode	•	•	•	•	•
Smooth glide roll-out rack	—	—	—	—	•
SteamClean option	—	—	•	•	•
Temperature sensor	•	•	•	•	•
Time Bake	•	•	•	•	•
True convection cooking	—	—	—	•	•
<b>SPECIAL FEATURE/CERTIFICATION</b>					
Star-K certified	•	•	•	•	•
<b>GENERAL INFORMATION</b>					
Bake element watts at 240/208 volts	2000W/1500W	2000W/1500W	2800W/2427W	2800W/2427W	2800W/2427W
Broil element watts at 240/208 volts	3600W/3120W	3600W/3120W	3600W/3120W	3600W/3120W	3600W/3120W
Convection element watts at 240/208 volts	—	—	—	2500W/2167W	2500W/2167W
Circuit amperage	20 Amps	20 Amps	30 Amps	30 Amps	20 Amps
Total connected load at 240 volts	3.7kW	3.7kW	3.7kW	3.7kW	3.7kW
Total connected load at 208 volts	2.8kW	2.8kW	2.8kW	2.8kW	2.8kW
24" oven cavity size (H x W x D)	16" x 19" x 17½"	16" x 19" x 17½"	—	—	—
27" oven cavity size (H x W x D)	—	—	18" x 22" x 19"	18" x 22" x 19"	—
30" oven cavity size (H x W x D)	—	—	18" x 25" x 19"	18" x 25" x 19"	18" x 25" x 19"
<b>COLORS</b>					
Available colors**	W   B	W   B   S	W   B   S	B   S   H <sup>†</sup>   E <sup>†</sup>	S


\*Approved electric and gas cooktops compatible with single wall oven under-the-counter installation: RCS2012R, WCC31430A, W5CE3024X, G7CE3034X, G9CE3065X, GCI3061X, W5CE3625A, G7CE3635X, W3CG3014X, WCG51US0D, WCG51US6D, WCG75US0D, WCG97US0D and WCG97US6D.

\*\*W = White, B = Black, S = Stainless Steel, H = White Ice, E = Black Ice. †WOS92EC0A only.


# COOKING DIMENSIONS




FRONT CONTROL RANGE MODEL	MAX HEIGHT (A)	WIDTH (B)	DEPTH (C)	DEPTH WITH DOOR OPEN (D)
WEE745H0F	36"	29 <sup>7</sup> / <sub>8</sub> "	28 <sup>7</sup> / <sub>8</sub> "	47 <sup>13</sup> / <sub>16</sub> "
WEG745H0F	36"	29 <sup>7</sup> / <sub>8</sub> "	28 <sup>7</sup> / <sub>8</sub> "	47 <sup>15</sup> / <sub>16</sub> "



FREESTANDING DOUBLE OVEN RANGE MODEL	MAX HEIGHT (A)	WIDTH (B)	DEPTH (C)	DEPTH WITH DOOR OPEN (D)
WGE555S0B	47 <sup>1</sup> / <sub>8</sub> "	29 <sup>15</sup> / <sub>16</sub> "	28 <sup>1</sup> / <sub>2</sub> "	46"
WGE745C0F	47 <sup>1</sup> / <sub>8</sub> "	29 <sup>15</sup> / <sub>16</sub> "	28 <sup>1</sup> / <sub>2</sub> "	46"
WGI925C0B	47 <sup>1</sup> / <sub>8</sub> "	29 <sup>15</sup> / <sub>16</sub> "	28 <sup>1</sup> / <sub>2</sub> "	46"
WGG555S0B	47 <sup>1</sup> / <sub>8</sub> "	29 <sup>15</sup> / <sub>16</sub> "	28 <sup>1</sup> / <sub>2</sub> "	46"
WGG745S0F	47 <sup>1</sup> / <sub>8</sub> "	29 <sup>15</sup> / <sub>16</sub> "	28 <sup>1</sup> / <sub>2</sub> "	46"



FREESTANDING RANGE MODEL	MAX HEIGHT (A)	WIDTH (B)	DEPTH (C)	DEPTH WITH DOOR OPEN (D)
WFC150M0E	46 <sup>7</sup> / <sub>8</sub> "	29 <sup>7</sup> / <sub>8</sub> "	27 <sup>3</sup> / <sub>4</sub> "	46 <sup>3</sup> / <sub>4</sub> "
WFC310S0E	46 <sup>7</sup> / <sub>8</sub> "	29 <sup>7</sup> / <sub>8</sub> "	27 <sup>3</sup> / <sub>4</sub> "	46 <sup>3</sup> / <sub>4</sub> "
WFC340S0E	46 <sup>7</sup> / <sub>8</sub> "	29 <sup>7</sup> / <sub>8</sub> "	27 <sup>3</sup> / <sub>4</sub> "	46 <sup>3</sup> / <sub>4</sub> "
WFE320M0E	46 <sup>7</sup> / <sub>8</sub> "	29 <sup>7</sup> / <sub>8</sub> "	27 <sup>3</sup> / <sub>4</sub> "	46 <sup>3</sup> / <sub>4</sub> "
WFE515S0E	46 <sup>7</sup> / <sub>8</sub> "	29 <sup>7</sup> / <sub>8</sub> "	27 <sup>3</sup> / <sub>4</sub> "	46 <sup>3</sup> / <sub>4</sub> "
WFE530C0E	46 <sup>7</sup> / <sub>8</sub> "	29 <sup>7</sup> / <sub>8</sub> "	27 <sup>3</sup> / <sub>4</sub> "	46 <sup>3</sup> / <sub>4</sub> "
WFE540H0E	46 <sup>7</sup> / <sub>8</sub> "	29 <sup>7</sup> / <sub>8</sub> "	27 <sup>3</sup> / <sub>4</sub> "	47 <sup>13</sup> / <sub>16</sub> "
WFE715H0E	46 <sup>7</sup> / <sub>8</sub> "	29 <sup>7</sup> / <sub>8</sub> "	27 <sup>3</sup> / <sub>4</sub> "	47 <sup>13</sup> / <sub>16</sub> "
WFE745H0F	47 <sup>7</sup> / <sub>8</sub> "	29 <sup>7</sup> / <sub>8</sub> "	27 <sup>3</sup> / <sub>4</sub> "	47 <sup>13</sup> / <sub>16</sub> "
WFG320M0B	46 <sup>1</sup> / <sub>4</sub> "	30"	27 <sup>1</sup> / <sub>4</sub> "	45 <sup>1</sup> / <sub>4</sub> "
WFG505M0B	46 <sup>1</sup> / <sub>4</sub> "	30"	27 <sup>1</sup> / <sub>4</sub> "	45 <sup>1</sup> / <sub>4</sub> "
WFG515S0E	46 <sup>7</sup> / <sub>8</sub> "	29 <sup>7</sup> / <sub>8</sub> "	27 <sup>7</sup> / <sub>8</sub> "	46 <sup>3</sup> / <sub>8</sub> "
WFG530S0E	46 <sup>7</sup> / <sub>8</sub> "	29 <sup>7</sup> / <sub>8</sub> "	27 <sup>7</sup> / <sub>8</sub> "	46 <sup>3</sup> / <sub>8</sub> "
WFG540H0E	46 <sup>7</sup> / <sub>8</sub> "	29 <sup>7</sup> / <sub>8</sub> "	27 <sup>3</sup> / <sub>4</sub> "	47 <sup>15</sup> / <sub>16</sub> "
WFG715H0E	46 <sup>7</sup> / <sub>8</sub> "	29 <sup>7</sup> / <sub>8</sub> "	27 <sup>3</sup> / <sub>4</sub> "	47 <sup>15</sup> / <sub>16</sub> "
WFG745H0F	47 <sup>7</sup> / <sub>8</sub> "	29 <sup>7</sup> / <sub>8</sub> "	27 <sup>7</sup> / <sub>8</sub> "	47 <sup>15</sup> / <sub>16</sub> "



SINGLE WALL OVEN MODEL	MAX HEIGHT (A)	WIDTH (B)	DEPTH (C)	DEPTH WITH DOOR OPEN (D)
WOS11EM4E	29"	23 <sup>3</sup> / <sub>4</sub> "	25 <sup>3</sup> / <sub>4</sub> "	42 <sup>3</sup> / <sub>4</sub> "
WOS51ES4E	29"	23 <sup>3</sup> / <sub>4</sub> "	25 <sup>3</sup> / <sub>4</sub> "	42 <sup>3</sup> / <sub>4</sub> "
WOS51EC7A	28 <sup>3</sup> / <sub>4</sub> "	27"	26 <sup>7</sup> / <sub>16</sub> "	46 <sup>3</sup> / <sub>4</sub> "
WOS51EC0A	28 <sup>3</sup> / <sub>4</sub> "	30"	26 <sup>7</sup> / <sub>16</sub> "	46 <sup>3</sup> / <sub>4</sub> "
WOS92EC7A	28 <sup>3</sup> / <sub>4</sub> "	27"	26 <sup>7</sup> / <sub>16</sub> "	46 <sup>3</sup> / <sub>4</sub> "
WOS92EC0A	28 <sup>3</sup> / <sub>4</sub> "	30"	26 <sup>7</sup> / <sub>16</sub> "	46 <sup>3</sup> / <sub>4</sub> "
WOS97ES0E	28 <sup>3</sup> / <sub>4</sub> "	30"	26 <sup>7</sup> / <sub>8</sub> "	46 <sup>3</sup> / <sub>4</sub> "

Dimensions are shown for planning purposes only.  
For complete information, see Installation Instructions packed with product.