


Available Finishes / Materials:

EG -- Electro-galvanized

S6 -- 316 stainless steel

Standard Finish: EG



Catalog No.	Wt. lbs	Rod Size	Set Screw Size	B	L	H	Max Load (W) lbs	Box Qty
				in	in	in		
BC900025EG	0.20	1/4"-20	5/16"-18	1-3/16"	1-3/8"	1-3/8"	335	50
BC900037EG	0.67	3/8"-16	1/2"-13	2-1/16"	1-7/8"	1-3/4"	525	25
BC900050EG	1.22	1/2"-13	1/2"-13	2-1/2"	2-3/8"	2-3/16"	750	25

- **Material:** Malleable Iron
- **Finish:** Electrogalvanized

Maximum flange thickness of 1/2"

### Material Specifications and Finishes

Carbon Steel – ASTM A1011-00 SS GR 33 or ASTM A1011-00CS Type B

EG – Electro-Galvanized. Electroplating deposits zinc on the surface of the steel by electrolysis from a bath of zinc salts. Recommended for relatively dry indoor use. This is the standard coating for most Phoenix products. Thickness of applied zinc is between 0.2 mils to 0.5 mils [5.1 µm to 12.7 µm]. Coatings on Phoenix EG products meet ASTM B633 SC1 Type III.

S6 – 316 Stainless Steel – ASTM A240 (Type 316),  
316 Stainless Steel Nuts – ASTM A276-03

Note: Specifications subject to change without notice.

<b>Project:</b>	<b>Date:</b>	<b>Phone:</b>
<b>Submitted By:</b>	<b>Address:</b>	
<b>Comment</b>		