Eaton BAB3070H

Catalog Number: BAB3070H

Eaton BAB thermal magnetic circuit breaker, Quicklag industrial thermalmagnetic circuit breaker,70 A,10 kAIC,Three-pole,240 V,Interchangeable,BAB,Distribution panels 240V (Three-phase, four-wire maximum),Four-wire,Three-phase

General specifications

Catalog Notes HACR rated

| Product Name Eaton BAB thermal magnetic circuit breaker | Catalog Number BAB3070H |
|---|--|
| | UPC 786679303702 |
| Product Length/Depth | Product Height |
| 3.9 in | 4.9 in |
| Product Width 3.2 in | Product Weight 1.05 lb |
| Warranty 1 year | Certifications UL Listed CSA Certified |
| | |



Physical Attributes

Circuit breaker type

BAB

Mounting Method

Bolt-on

Number of poles

Three-pole

Number of wires

4

Туре

Quicklag industrial thermal-magnetic circuit breaker

Performance Ratings

Amperage Rating

70 A

Interrupt rating 10 kAIC

Trip Type Non-Interchangeable

Voltage rating 240 V - 240 V

Miscellaneous

Quantity

32

Special features

Bolt-on mounting

Used with

Distribution panels 240 V (Three-phase, four-wire maximum)

Resources

Brochures

Loadcenters and Circuit Breakers

Catalogs

Eaton's Volume 4—Circuit Protection

Multimedia Circuit Breakers Explained

Specifications and datasheets Eaton Specification Sheet - BAB3070H



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com © 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

Eaton.comAll other trademarks are© 2023 Eaton. All Rightsproperty of their respectiveReserved.owners.



Eaton.com/socialmedia