

# Eaton BR48L125FDP

Catalog Number: BR48L125FDP

Eaton Eaton BR main lug loadcenter, 125 A,7,Aluminum, NEMA 1,Metallic,10 kAIC,BR,Flush,NEMA 1,8 Circuits,Twenty-four pole,4 Spaces,Three-wire,Single-phase,Type BR 1-inch breakers,120/240V,#14-1/0 AWG Cu/Al

## General specifications

Product Name	Catalog Number
Eaton BR main lug loadcenter	BR48L125FDP
UPC	Product Length/Depth
786676002288	3.56 in
Product Height	Product Width
13 in	11 in
Product Weight	Warranty
9.1 lb	10 year
Certifications	
UL 50	
UL 67	

## Product specifications

### Number of spaces

4

### Special features

Current design

### Interrupt rating

10 kAIC

### Phase

Single-phase

### Wire size

#14-1/0 AWG Cu/Al

### Bus material

Aluminum

### Main circuit breaker

BR

### Enclosure

NEMA 1

### Amperage Rating

125 A

### Number Of Poles

Eight-pole

### Mounting

Flush

### Enclosure material

Metallic

### Type

Main lug

### Cover

Cover included

### Used with

Type BR 1-inch breakers

### Number of wires

3

### Number of circuits

8

## Resources

### Brochures

Loadcenters and Circuit Breakers

Type BR Arc Fault Circuit Breakers and Loadcenters

### Catalogs

Eaton's Volume 1—Residential and Light Commercial

### Installation instructions

Cutler-Hammer Type CH and BR Loadcenters - Instructions

### Specifications and datasheets

Eaton Specification Sheet - BR48L125FDP

Voltage rating

120/240V

Box size

7



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)