

# LENOX Gold RECIPROCATING SAW BLADES (CONTINUED)

	TPI	LENGTH X WIDTH X THICKNESS		5-PACK PROD NO	25-PACK PROD NO	APPLICATION	
		IN	MM				
WOOD	6	6 x 7/16 x .050	152 x 11 x 1.3	21063676GRC	—		
	6	6 x 3/4 x .050	152 x 19 x 1.3	21060656GR	21074B656GR		
	6	9 x 3/4 x .050	229 x 19 x 1.3	21062956GR	21076B956GR		
	6	12 x 3/4 x .050	305 x 19 x 1.3	21061156GR	21075B156GR		
METAL	10	6 x 3/4 x .035	152 x 19 x .9	21064610GR	21078B610GR		
	10	8 x 3/4 x .050	203 x 19 x 1.3	21065810GR	21079B810GR		
	14	4 x 3/4 x .035	102 x 19 x .9	21066414GR	21080B414GR		
	14	6 x 3/4 x .035	152 x 19 x .9	21067614GR	21081B614GR		
	18	4 x 3/4 x .035	102 x 19 x .9	21068418GR	21082B418GR		
	18	6 x 3/4 x .035	152 x 19 x .9	21069618GR	21083B618GR		
	18	8 x 3/4 x .035	203 x 19 x .9	21070818GR	21084B818GR		
	24	4 x 3/4 x .035	102 x 19 x .9	21071424GR	—		
	24	6 x 3/4 x .035	152 x 19 x .9	21072624GR	21086B624GR		
	24	8 x 3/4 x .035	203 x 19 x .9	21073824GR	21087B824GR		
	DEMOLITION	6	6 x 1 x .062	152 x 22 x 1.6	210886066GR	21220B6066GR	
		6	9 x 1 x .062	229 x 22 x 1.6	21090966GR	21222B966GR	
6		12 x 1 x .062	305 x 22 x 1.6	21091106GR	21223B106GR		
10		9 x 1 x .062	229 x 22 x 1.6	21089960GR	21221B960GR		
EXTREME METAL CUTTING	8	6 x 1 x .042	152 x 25 x 1.07	210926108GR	—		
	8	9 x 1 x .042	229 x 25 x 1.07	210969108GR	—		
	10	6 x 1 x .042	152 x 25 x 1.07	210936110GR	21225B6110GR		
	10	9 x 1 x .042	229 x 25 x 1.07	210979110GR	21229B9110GR		
	10	12 x 1 x .042	305 x 25 x 1.07	2110012110GR	21237B12110GR		
	14	6 x 1 x .042	152 x 25 x 1.07	210946114GR	21226B6114GR		
	14	9 x 1 x .042	229 x 25 x 1.07	210989114GR	21235B9114GR		
	14	12 x 1 x .042	305 x 25 x 1.07	2110112114GR	21238B12114GR		
	18	6 x 1 x .042	152 x 25 x 1.07	210956118GR	21227B6118GR		
	18	9 x 1 x .042	229 x 25 x 1.07	210999118GR	21236B9118GR		
18	12 x 1 x .042	305 x 25 x 1.07	2110212118GR	21239B12118GR			

## ICON REFERENCE CHART

WOOD	NAIL-EMBEDDED WOOD	CONTOUR WOOD	PLASTIC	THICK METAL	MEDIUM METAL	THIN METAL	NON-FEROUS METAL
DEMOLITION	FIRE & RESCUE	PLASTER & DRYWALL	CAST IRON	CEMENT BOARD	TILE	ABRASIVES	NATURAL STONE



### PLUNGE CUTTING WOOD BLADE

Patent pending plunge cutting tooth design prevents blade from walking to deliver faster, easier plunge cuts

# DEMOLITION RECIPROCATING SAW BLADES

## Best for Demolition and Nail-Embedded Wood

### DEMOLITION JOBS ARE EASIER

T2 technology's patented tooth design delivers longer blade life and enables faster cutting

### MAXIMUM DURABILITY

The tallest blade on the market prevents bending and provides maximum control in the toughest demolition applications

### AGGRESSIVE CUTS EVEN IN TIGHT SPACES

Each blade has an optimized blade geometry including an aggressive tang angle and tapered blade shape to allow for cutting in tight areas



TPI	LENGTH X WIDTH X THICKNESS		2-PACK	5-PACK	25-PACK	50-PACK	APPLICATION
	IN	MM	PROD NO	PROD NO	PROD NO	PROD NO	
6	6 x 1 x .062	152 x 22 x 1.6	205126066R	203706066R5	20514B6066R	—	
6	9 x 1 x .062	229 x 22 x 1.6	20598966R	20371966R5	20523B966R	227630SB966R	
6	12 x 1 x .062	305 x 22 x 1.6	20500106R	20373106R5	20485B106R	—	
10	9 x 1 x .062	229 x 22 x 1.6	20597960R	20372960R5	20524B960R	227620SB960R	