

Ranked #1 for Commercial Refrigeration Technicians




Mastar® Outfits

FOR U.S. JOBS
UNIWELD EMPLOYS OVER 300 WORKERS


Highly rated by commercial refrigeration technicians, Mastar® outfits contain all the necessary top of the line components for welding, cutting and brazing.

1 Oxyacetylene



- Industrial grade Mastar® series regulators with protective rubber gauge boots
- Rear valve welding handle with stainless steel ball point valves for accurate gas control
- Cutting attachment with one-piece solid copper mixer that cuts up to 1/2" steel with supplied cutting tip
- Rosebud tip for brazing up to 2 5/8" copper tubing
- Welding tip for brazing up to 1" copper tubing and welding up to 1/8" steel

KL550-TR



KL550-4P-T

C = Metal Carrying Stand
C-T = Metal Carrying Stand & Tanks
P = Plastic Carrying Stand
P-T = Plastic Carrying Stand & Tanks
TR = Metal Hand Truck w/Wheels

Additional outfit options listed below include a variety of carrying stands and tanks*. Optional tips expand capabilities. See pages 16-19

	Part#	UPC#	Welding HanDrillsdle	Welding/ Brazing Tip	Rosebud Heating Tip	Cutting Attachment	Cutting Tip	Oxygen Regulator	Acetylene Regulator	Carrying Stand	Tanks*
Outfits	KL550-4	82200			Type17-15		5-101-0D	RS0	RSMC2	w/o	w/o
	KL550-4C	82201			Type17-15		5-101-0D	RS0	RSMC2	500S	w/o
	KL550-4C-T	82202			Type17-15		5-101-0D	RS0	RSMC2	500S	MC/R
	KL550-4P	82205	WH550	Type17-2	Type17-15	CA550	5-101-0D	RS0	RSMC2	511	w/o
	KL550-4P-T	82206			Type17-15		5-101-0D	RS0	RSMC2	511	MC/R
	KL550-5	82207			Type17-15		5-101-0D	RS0	RSB2	w/o	w/o
	KL550-TR	82208			w/o		5-101-2D	RS0	RSB2	504	w/o
	KL555-TR	82259			w/o		5-101-2D12106 [psi/kg]	12107 [psi/kg]		504	w/o

Outfits Include: H32A [12.5] ft. Twin Hose, WG53 Goggles, FL34 Flint Lighter, W05 Tank Key w/chain.

*Tanks Shipped Empty



For Maintenance/Service Technicians



Mastar® Outfits

FOR U.S. JOBS
UNIWELD EMPLOYS OVER 300 WORKERS

This premium outfit includes all the components of the Mastar® outfit on page 4, plus an air/fuel adaptor that modifies the welding handle to be used with any of Uniweld's efficient quick connect air/acetylene tips.



KLT550-4

- Industrial grade Mastar® series regulators with protective rubber gauge boots
- Rear valve welding handle with stainless steel ball point valves for accurate gas control
- Cutting attachment with one-piece solid copper mixer that cuts up to 1/2" steel with supplied cutting tip. Optional cutting tips available for cutting up to 2" steel
- Rosebud tip for brazing up to 2 5/8" copper tubing
- Welding tip for brazing up to 1" copper tubing and welding up to 1/8" steel
- Twister® air/acetylene tip for plumbing and repair work



KLT550-4C-T

Additional outfit options listed below include a variety of carrying stands and tanks*. Optional tips expand capabilities. See pages 16-19

C = Metal Carrying Stand

C-T = Metal Carrying Stand & Tanks

P = Plastic Carrying Stand

P-T = Plastic Carrying Stand & Tanks

TR = Metal Hand Truck w/Wheels

	Part#	UPC#	Welding Handle	Welding/ Brazing and Heating Tip	Acetylene Tip	Adaptor	Cutting Attachment	Cutting Tip	Oxygen Regulator	Acetylene Regulator	Carrying Stand	Tanks*
Outfits	KLT550-4	82210								RSMC2	w/o	w/o
	KLT550-4C	82211								RSMC2	500S	w/o
	KLT550-4C-T	82212		Type17-2	A-8 Twister®	F13				RSMC2	500S	MC/R
	KLT550-4P	82215	WH550	Type17-15	Air/Fuel Tip	F13	CA550	5-101-0D	RSO	RSMC2	511	w/o
	KLT550-4P-T	82216								RSMC2	511	MC/R
	KLT550-5	82217								RSB2	w/o	w/o
	KLT550-5TR	82218								RSB2	504	w/o

Outfits Include: H32A [12.5] Twin Hose, WG53 Goggles, FL34 Flint Lighter, W05 Tank Key w/chain.

*Tanks Shipped Empty

1 Oxyacetylene



Uniweld Products, Inc. Fort Lauderdale, FL 33312 U.S.A. Customer Service: 800.323.2111
info@uniweld.com • www.uniweld.com



Welding/Brazing & Heating

and more Tips...

FOR U.S. JOBS
UNIWELD EMPLOYS OVER 300 WORKERS

Rosebuds are your best tip choice for brazing, soldering and heating. They're available 7" and 12" lengths and in several sizes. These tips fit Uniweld 71 and WH550 welding handles.

1 Oxyacetylene



TYPE17-15


Rosebud Heating Tips

Part#	UPC#	Overall Length	Acetylene SCFH	Oxygen PSIG	Acetylene PSIG	Brazing Copper Tubing Guide	Replacement Mixer & Nut
Type17-15	31170	7"	15	12	10	1/8" to 25/8"	UM17-5
*Type17-30	31171	7"	30	15	12	1/2" to 6"	UM17-5
Type28-2	31450	12"	9	8	7	1/8" to 15/8"	UM17-5
Type28-4	31451	12"	14	12	10	1/2" to 3"	UM17-5
*Type28-6	31452	12"	30	15	12	1/2" to 6"	UM17-5
*Type28-8	31453	12"	60	25	15	6" to 8"	UM17-5

*Tips must be used with a 40 cu. ft. or larger cylinder.

Replacement Tip Ends

Part#	UPC#
Type28TE-2	31460
Type28TE-4	31461
Type28TE-6	31462
Type28TE-8	31463



TYPE28-6

TYPE28TE-6 Tip Ends



Flexible tips that you can bend to fit the job...
...even around corners! And then, re-bend 'em for the next job. 10.5" long, including mixer.



(2) TYPE17-30 Tip Ends

TYPE13-8VM

Flexible Brazing Tip

Part#	UPC#	Acetylene Consumption SCFH	Oxygen Pressure PSIG	Acetylene Pressure PSIG	Brazing Copper Tubing	Replacement Elbow	Replacement Mixer & Nut
Type17-9	31181	4	5	5	Up to 7/8"	Type17E-9	UM17-5

Twin Rosebud Heating Tip

Type13-8VM	31161	60	25	15	4" - 12"	Type13E-8	UM17-5
------------	-------	----	----	----	----------	-----------	--------

Fits 71 and WH550 Welding Handles.



Uniweld Products, Inc. Fort Lauderdale, FL 33312 U.S.A. Customer Service: 800.323.2111
info@uniweld.com • www.uniweld.com